

Clarke®

Summit® Wet/Dry Series
Tank Vacuums



www.clarkeus.com

Clarke®

Cleaning Power Since 1916.


SUMMIT® 9, 13, and 20 Wet/Dry Tank Vacuums



Equipped with a tank drain hose or tip and pour action to provide versatility and ease of operation. Standard features on Summit® 13 & 20.



Adjustable handle to suit any operator and provide compact storage.



Large non-marking wheels and rigid carriage with handy drain hose make transport and disposal of waste easy work.

A full accessory tool complement and on board storage provides fast access to what you need when you need it.



Large latches and lift handles give a good grip for ergonomic use and easy removal of the motor top for access to the float filter.

The squeegee easily mounts in place with no tools required. The 30" squeegee is front mount foot activated.



SUMMIT® 13



SUMMIT® 20



SUMMIT® 9



Choose from 3 tank sizes - 9, 13, and 20 gallons. Summit® 9 is available with a certified HEPA filter for wet and dry operation! Summit® 13 & 20 SQ come equipped with a 30" front mount squeegee. Optional equipment for Summit® 13 & 20 are certified HEPA filters (dry use only). When it's high performance and extra power that's needed, the Summit® 20 D (Dual Motor) offers power to spare.



Attention to detail on this line of tank vacuums is unmatched anywhere. Convenience, durability, performance, power, and easy operation and storage make the Summit® Wet/Dry Vacuum a clear choice.



Summit® 9 HEPA comes equipped with a DOP certified filter system that can be used in wet or dry applications. Designed with convenient easy access to filters and float cage.

SUMMIT®

9, 13, & 20 Gallon Tank Vacuums

Clarke®



KEY FEATURES

- Available in 9, 13, or 20 gallon sizes
- Full accessory tool kit and on board storage
- Easy tip and pour action on Summit 13 & 20
- Adjustable handle for easy storage and use
- HEPA filter on Summit 9 can be used in wet or dry applications

SPECIFICATIONS

	Summit 9	Summit 9 HEPA	Summit 13	Summit 13 SQ	Summit 20	Summit 20 SQ	Summit 20D
Part Number	9058314010	02184A	9058414010	02185A	9058714010	02186A	9058814010
Maximum Tank Capacity	9	9	13	13	20	20	20
Volume Air Flow (CFM)	84 CFM	84 CFM	84 CFM	84 CFM	84 CFM	84 CFM	200 CFM
Max Water Lift (in H₂O)	82	82	82	82	82	82	80
2 Stage Vac Motor (Watt/HP)	1350/1.8	1350/1.8	1350/1.8	1350/1.8	1350/1.8	1350/1.8	(2) 100/1.4
Power Cord	50'						
Main Filter Area (sq. inch)	210"	210"	350"	350"	350"	350"	350"
Sound Level (dba)	64	64	64	64	64	64	68
Hose Length/Size	10 ft./1.25"	10 ft./1.25"	10 ft./1.5"	10 ft./1.5"	10 ft./1.5"	10 ft./1.5"	10 ft./1.5"
Voltage/Frequency (V/Hz)	120/50-60	120/50-60	120/50-60	120/50-60	120/50-60	120/50-60	120/50-60
Length x Width x Height	17 x 16 x 28	17 x 16 x 28	25 x 23.5 x 35	25 x 23.5 x 35	25 x 23.5 x 39.5	25 x 23.5 x 39.5	25 x 23.5 x 39.5
Weight (kg)	21	25	42	50	44	52	47
Warranty	2 Year Parts & Labor						
ACCESSORIES INCLUDED:							
1408670500	HEPA Filter Kit - Summit 9						
11050A	30" Squeegee Assembly (13/20)						
1409598500	Squeegee Tool - Summit 9						
1409598510	Brush Tool - Summit 9						
1407629000	Squeegee Tool - Summit 13/20						
1407629010	Brush Tool - Summit 13/20						
1408244000	Brush Nozzle, 1.25" - (9)						
1408012000	Crevice Nozzle, 1.25" - (9)						
1408258000	Crevice Nozzle 1.5" - (13/20)						
1404001010	Hose Complete, 1.5" (13/20)						
1406430500	Hose Complete, 1.25" (9)						
0116431500	Wand Extension, 1.25" (9)						
0116451010	Wand Extension, 1.5" (13/20)						
1408658500	Main Filter - Summit 9						
1409512500	Main Filter - Summit 13/20						
1470745010	3 pk. Filter Bags - Summit 9						
OPTIONAL ACCESSORIES:							
1408678500	HEPA Filter (replacement)						
1408686500	Filter Cartridge Option (all)						
1470746010	3 pk. Filter Bag (13/20)						

Clarke®

2100 Highway 265
Springdale, AR 72764
www.clarkeus.com

DISTRIBUTED BY:

Customer Relations: 1-800-253-0367
Fax Orders to: 1-800-825-2753
Technical Service: 1-800-356-7274

©2006 ALTO U.S. Inc., All Rights Reserved. Specifications subject to change without notice. P/N 71085A 01/06

